ELSEVIER

Brain Research 713 (1996) 298–299

BRAIN RESEARCH

Author Index

Akasu, T., Ishimatsu, M. and Yamada, K.
Tachykinins cause inward current through NK_1 receptors in bullfrog sensory neurons (713) 160
Anastasiadis, P.Z., Kuhn, D.M., Blitz, J., Imerman, B.A., Louie, M.C. and Levine, R.A.
Regulation of tyrosine hydroxylase and tetrahydrobiopterin biosynthetic enzymes in PC12 cells by NGF, EGF and IFN-γ (713) 125

Beal, M.F., see Kirschner, P.B. (713) 178
Begley, D.J., see Reichel, A. (713) 232
Bjurling, P., see Tsukada, H. (713) 92
Blitz, J., see Anastasiadis, P.Z. (713) 125
Bortolami, R., see Della Torre, G. (713) 223
Breder, C.D. and Saper, C.B.
Expression of inducible cyclooxygenase mRNA in the mouse brain after systemic administration of bacterial lipopolysaccharide (713) 64
Breese, G.R., see Duncan, G.E. (713) 79
Breese, G.R., see McCown, T.J. (713) 99
Brown, I.R., see Mendis, D.B. (713) 53
Brunetti, O., see Della Torre, G. (713) 223

Cai, J., see Glick, S.D. (713) 294
Carvalho, C., see Pereira, C. (713) 269
Castellano, C., see Cestari, V. (713) 286
Cestari, V., Mele, A., Oliverio, A. and Castellano, C.
Amygdala lesions block the effect of cocaine on memory in mice (713) 286
Chandrasekaran, K., see Fukuyama, R. (713) 290
Chuang, D.-M., see Saunders, P.A. (713) 29
Ciriello, J., see Hochstenbach, S.L. (713) 17
Clavenzani, P., see Della Torre, G. (713) 223

Della Torre, G., Lucchi, M.L., Brunetti, O., Pettorossi, V.E., Clavenzani, P. and Bortolami, R.
Central projections and entries of capsaicin-sensitive muscle afferents (713) 223
Dichgans, J., see Wild, B. (713) 186
Duncan, G.E., Knapp, D.J. and Breese, G.R.
Neuroanatomical characterization of Fos induction in rat behavioral models of anxiety (713) 79

Ermisch, A., see Reichel, A. (713) 232

Ferreira, C., see Pereira, C. (713) 269
Finkelstein, S.P., see Kirschner, P.B. (713) 178
Fukuyama, R., Hatanpää, K., Rapoport, S.I. and Chandrasekaran, K.
Gene expression of ND4, a subunit of complex I of oxidative phosphorylation in mitochondria, is decreased in temporal cortex of brains of Alzheimer's disease patients (713) 290

Gerrits, M.A.F.M. and Van Ree, J.M.
Effect of nucleus accumbens dopamine depletion on motivational aspects involved in initiation of cocaine and heroin self-administration in rats (713) 114
Glick, S.D., Pearl, S.M., Cai, J. and Maisonneuve, I.M.
Ibogaine-like effects of noribogaine in rats (713) 294
Grace, A.A., see Pucak, M.L. (713) 44
Gurd, J.W., see Mendis, D.B. (713) 53

Hans, V., see Kossmann, T. (713) 143
Hartvig, P., see Tsukada, H. (713) 92
Hatanpää, K., see Fukuyama, R. (713) 290
Herbert, J., see Xu, Z. (713) 36
Hochstenbach, S.L. and Ciriello, J.
Effect of lesions of forebrain circumventricular organs on *c*-fos expression in the central nervous system to plasma hypernatremia (713) 17
Hough, C.J., see Saunders, P.A. (713) 29

Imerman, B.A., see Anastasiadis, P.Z. (713) 125
Imhof, H.-G., see Kossmann, T. (713) 143
Ip, J.K.H., see Yip, S. (713) 134
Ishimatsu, M., see Akasu, T. (713) 160
Itoyama, Y., see Lee, T.-H. (713) 199

Jaffe, H., see Weller, J.L. (713) 8
Jenkins, B.G., see Kirschner, P.B. (713) 178
Jiang, P.-J. and Terashima, S.-i.
Distribution of NADPH-diaphorase in the central nervous system of an infrared-sensitive snake, *Trimeresurus flavoviridis* (713) 168

Kato, H., see Lee, T.-H. (713) 199
Katsuragi, Y., Yasumasu, T. and Kurihara, K.
Lipoprotein that selectively inhibits taste nerve responses to bitter substances (713) 240
Kihlberg, T., see Tsukada, H. (713) 92
Kimura, F., see Mizuno, T. (713) 1
Kirschner, P.B., Jenkins, B.G., Schulz, J.B., Finkelstein, S.P., Matthews, R.T., Rosen, B.R. and Beal, M.F.
NGF, BDNF and NT-5, but not NT-3 protect against MPP^+ toxicity and oxidative stress in neonatal animals (713) 178
Kiyatkin, E.A. and Rebec, G.V.
Modulatory action of dopamine on acetylcholine-responsive striatal and accumbal neurons in awake, unrestrained rats (713) 70
Klein, D.C., see Weller, J.L. (713) 8
Klockgether, T., see Wild, B. (713) 186
Knapp, D.J., see Duncan, G.E. (713) 79
Kogure, K., see Lee, T.-H. (713) 199
Kossmann, T., Hans, V., Imhof, H.-G., Trentz, O. and Morganti-Kossmann, M.C.
Interleukin-6 released in human cerebrospinal fluid following traumatic brain injury may trigger nerve growth factor production in astrocytes (713) 143
Kuhn, D.M., see Anastasiadis, P.Z. (713) 125
Kurihara, K., see Katsuragi, Y. (713) 240

Långström, B., see Tsukada, H. (713) 92
Lee, T.-H., Kato, H., Kogure, K. and Itoyama, Y.
Temporal profile of nerve growth factor-like immunoreactivity after transient focal cerebral ischemia in rats (713) 199
Levine, R.A., see Anastasiadis, P.Z. (713) 125
Li, J., see McCown, T.J. (713) 99
Lindner, K.-J., see Tsukada, H. (713) 92
Louie, M.C., see Anastasiadis, P.Z. (713) 125
Lucchi, M.L., see Della Torre, G. (713) 223
Lukasiewicz, P.D., see Valentino, T.L. (713) 278
Lumia, A.R., see Possidente, B. (713) 108

Maigret, C., see Van Wimersma Greidanus, Tj.B. (713) 153
Maisonneuve, I.M., see Glick, S.D. (713) 294
Marunouchi, T., see Suzumura, A. (713) 192
Massa, S.M., see Matz, P. (713) 211

ELSEVIER

Brain Research 713 (1996) 298–299

BRAIN RESEARCH

Author Index

Akasu, T., Ishimatsu, M. and Yamada, K.
Tachykinins cause inward current through NK_1 receptors in bullfrog sensory neurons (713) 160
Anastasiadis, P.Z., Kuhn, D.M., Blitz, J., Imerman, B.A., Louie, M.C. and Levine, R.A.
Regulation of tyrosine hydroxylase and tetrahydrobiopterin biosynthetic enzymes in PC12 cells by NGF, EGF and IFN-γ (713) 125

Beal, M.F., see Kirschner, P.B. (713) 178
Begley, D.J., see Reichel, A. (713) 232
Bjurling, P., see Tsukada, H. (713) 92
Blitz, J., see Anastasiadis, P.Z. (713) 125
Bortolami, R., see Della Torre, G. (713) 223
Breder, C.D. and Saper, C.B.
Expression of inducible cyclooxygenase mRNA in the mouse brain after systemic administration of bacterial lipopolysaccharide (713) 64
Breese, G.R., see Duncan, G.E. (713) 79
Breese, G.R., see McCown, T.J. (713) 99
Brown, I.R., see Mendis, D.B. (713) 53
Brunetti, O., see Della Torre, G. (713) 223

Cai, J., see Glick, S.D. (713) 294
Carvalho, C., see Pereira, C. (713) 269
Castellano, C., see Cestari, V. (713) 286
Cestari, V., Mele, A., Oliverio, A. and Castellano, C.
Amygdala lesions block the effect of cocaine on memory in mice (713) 286
Chandrasekaran, K., see Fukuyama, R. (713) 290
Chuang, D.-M., see Saunders, P.A. (713) 29
Ciriello, J., see Hochstenbach, S.L. (713) 17
Clavenzani, P., see Della Torre, G. (713) 223

Della Torre, G., Lucchi, M.L., Brunetti, O., Pettorossi, V.E., Clavenzani, P. and Bortolami, R.
Central projections and entries of capsaicin-sensitive muscle afferents (713) 223
Dichgans, J., see Wild, B. (713) 186
Duncan, G.E., Knapp, D.J. and Breese, G.R.
Neuroanatomical characterization of Fos induction in rat behavioral models of anxiety (713) 79

Ermisch, A., see Reichel, A. (713) 232

Ferreira, C., see Pereira, C. (713) 269
Finkelstein, S.P., see Kirschner, P.B. (713) 178
Fukuyama, R., Hatanpää, K., Rapoport, S.I. and Chandrasekaran, K.
Gene expression of ND4, a subunit of complex I of oxidative phosphorylation in mitochondria, is decreased in temporal cortex of brains of Alzheimer's disease patients (713) 290

Gerrits, M.A.F.M. and Van Ree, J.M.
Effect of nucleus accumbens dopamine depletion on motivational aspects involved in initiation of cocaine and heroin self-administration in rats (713) 114
Glick, S.D., Pearl, S.M., Cai, J. and Maisonneuve, I.M.
Ibogaine-like effects of noribogaine in rats (713) 294
Grace, A.A., see Pucak, M.L. (713) 44
Gurd, J.W., see Mendis, D.B. (713) 53

Hans, V., see Kossmann, T. (713) 143
Hartvig, P., see Tsukada, H. (713) 92
Hatanpää, K., see Fukuyama, R. (713) 290
Herbert, J., see Xu, Z. (713) 36
Hochstenbach, S.L. and Ciriello, J.
Effect of lesions of forebrain circumventricular organs on *c*-fos expression in the central nervous system to plasma hypernatremia (713) 17
Hough, C.J., see Saunders, P.A. (713) 29

Imerman, B.A., see Anastasiadis, P.Z. (713) 125
Imhof, H.-G., see Kossmann, T. (713) 143
Ip, J.K.H., see Yip, S. (713) 134
Ishimatsu, M., see Akasu, T. (713) 160
Itoyama, Y., see Lee, T.-H. (713) 199

Jaffe, H., see Weller, J.L. (713) 8
Jenkins, B.G., see Kirschner, P.B. (713) 178
Jiang, P.-J. and Terashima, S.-i.
Distribution of NADPH-diaphorase in the central nervous system of an infrared-sensitive snake, *Trimeresurus flavoviridis* (713) 168

Kato, H., see Lee, T.-H. (713) 199
Katsuragi, Y., Yasumasu, T. and Kurihara, K.
Lipoprotein that selectively inhibits taste nerve responses to bitter substances (713) 240
Kihlberg, T., see Tsukada, H. (713) 92
Kimura, F., see Mizuno, T. (713) 1
Kirschner, P.B., Jenkins, B.G., Schulz, J.B., Finkelstein, S.P., Matthews, R.T., Rosen, B.R. and Beal, M.F.
NGF, BDNF and NT-5, but not NT-3 protect against MPP^+ toxicity and oxidative stress in neonatal animals (713) 178
Kiyatkin, E.A. and Rebec, G.V.
Modulatory action of dopamine on acetylcholine-responsive striatal and accumbal neurons in awake, unrestrained rats (713) 70
Klein, D.C., see Weller, J.L. (713) 8
Klockgether, T., see Wild, B. (713) 186
Knapp, D.J., see Duncan, G.E. (713) 79
Kogure, K., see Lee, T.-H. (713) 199
Kossmann, T., Hans, V., Imhof, H.-G., Trentz, O. and Morganti-Kossmann, M.C.
Interleukin-6 released in human cerebrospinal fluid following traumatic brain injury may trigger nerve growth factor production in astrocytes (713) 143
Kuhn, D.M., see Anastasiadis, P.Z. (713) 125
Kurihara, K., see Katsuragi, Y. (713) 240

Långström, B., see Tsukada, H. (713) 92
Lee, T.-H., Kato, H., Kogure, K. and Itoyama, Y.
Temporal profile of nerve growth factor-like immunoreactivity after transient focal cerebral ischemia in rats (713) 199
Levine, R.A., see Anastasiadis, P.Z. (713) 125
Li, J., see McCown, T.J. (713) 99
Lindner, K.-J., see Tsukada, H. (713) 92
Louie, M.C., see Anastasiadis, P.Z. (713) 125
Lucchi, M.L., see Della Torre, G. (713) 223
Lukasiewicz, P.D., see Valentino, T.L. (713) 278
Lumia, A.R., see Possidente, B. (713) 108

Maigret, C., see Van Wimersma Greidanus, Tj.B. (713) 153
Maisonneuve, I.M., see Glick, S.D. (713) 294
Marunouchi, T., see Suzumura, A. (713) 192
Massa, S.M., see Matz, P. (713) 211

Matthews, R.T., see Kirschner, P.B. (713) 178
Matz, P., Turner, C., Weinstein, P.R., Massa, S.M., Panter, S.S. and Sharp, F.R.
Heme-oxygenase-1 induction in glia throughout rat brain following experimental subarachnoid hemorrhage (713) 211
McCown, T.J., Xiao, X., Li, J., Breese, G.R. and Samulski, R.J.
Differential and persistent expression patterns of CNS gene transfer by an adeno-associated virus (AAV) vector (713) 99
McEldowney, S., see Possidente, B. (713) 108
McGinnis, M.Y., see Possidente, B. (713) 108
McGinty, D., see Szymusiak, R. (713) 253
Mele, A., see Cestari, V. (713) 286
Mendis, D.B., Shahin, S., Gurd, J.W. and Brown, I.R.
SC1, A SPARC-related glycoprotein, exhibits features of an ECM component in the developing and adult brain (713) 53
Mizuno, T. and Kimura, F.
Medial septal injection of naloxone elevates acetylcholine release in the hippocampus and induces behavioral seizures in rats (713) 1
Morganti-Kossmann, M.C., see Kossmann, T. (713) 143

Oliveira, C., see Pereira, C. (713) 269
Oliverio, A., see Cestari, V. (713) 286
Onaka, T., Palmer, J.R. and Yagi, K.
Norepinephrine depletion impairs neuroendocrine responses to fear but not novel environmental stimuli in the rat (713) 261

Palmer, J.R., see Onaka, T. (713) 261
Panter, S.S., see Matz, P. (713) 211
Pearl, S.M., see Glick, S.D. (713) 294
Pereira, C., Ferreira, C., Carvalho, C. and Oliveira, C.
Contribution of plasma membrane and endoplasmic reticulum Ca^{2+}-ATPases to the synaptosomal $[Ca^{2+}]_i$ increase during oxidative stress (713) 269
Pettorossi, V.E., see Della Torre, G. (713) 223
Possidente, B., Lumia, A.R., McGinnis, M.Y., Rapp, M. and McEldowney, S.
Effects of fluoxetine and olfactory bulbectomy on mouse circadian activity rhythms (713) 108
Pucak, M.L. and Grace, A.A.
Effects of haloperidol on the activity and membrane physiology of substantia nigra dopamine neurons recorded in vitro (713) 44

Rapoport, S.I., see Fukuyama, R. (713) 290
Rapp, M., see Possidente, B. (713) 108
Rebec, G.V., see Kiyatkin, E.A. (713) 70
Reichel, A., Begley, D.J. and Ermisch, A.
Arginine vasopressin reduces the blood–brain transfer of L-tyrosine and L-valine: further evidence of the effect of the peptide on the L-system transporter at the blood–brain barrier (713) 232
Romano, C., see Valentino, T.L. (713) 278
Roseboom, P.H., see Weller, J.L. (713) 8
Rosen, B.R., see Kirschner, P.B. (713) 178

Samulski, R.J., see McCown, T.J. (713) 99
Saper, C.B., see Breder, C.D. (713) 64
Sastry, B.R., see Yip, S. (713) 134
Saunders, P.A., Hough, C.J. and Chuang, D.-M.
Antagonists have a greater selectivity for muscarinic receptor subtypes in intact cerebellar granule cells than in membranes (713) 29
Sawada, M., see Suzumura, A. (713) 192
Schroeder, S.R., see Stodgell, C.J. (713) 246
Schulz, J.B., see Kirschner, P.B. (713) 178
Shahin, S., see Mendis, D.B. (713) 53
Sharp, F.R., see Matz, P. (713) 211
Shouse, M.N., see Szymusiak, R. (713) 253
Stodgell, C.J., Schroeder, S.R. and Tessel, R.E.
FR discrimination training reverses 6-hydroxydopamine-induced striatal dopamine depletion in a rat model of Lesch-Nyhan syndrome (713) 246
Suzumura, A., Sawada, M. and Marunouchi, T.
Selective induction of interleukin-6 in mouse microglia by granulocyte-macrophage colony-stimulating factor (713) 192
Szymusiak, R., Shouse, M.N. and McGinty, D.
Brainstem stimulation during sleep evokes abnormal rhythmic activity in thalamic neurons in feline penicillin epilepsy (713) 253

Tani, Y., see Tsukada, H. (713) 92
Terashima, S.-i., see Jiang, P.-J. (713) 168
Tessel, R.E., see Stodgell, C.J. (713) 246
Trentz, O., see Kossmann, T. (713) 143
Tsukada, H., Lindner, K.-J., Hartvig, P., Tani, Y., Valtysson, J., Bjurling, P., Kihlberg, T., Westerberg, G., Watanabe, Y. and Långström, B.
Effect of 6*R*-L-erythro-5,6,7,8-tetrahydrobiopterin and infusion of L-tyrosine on the in vivo L-[β-^{11}C]DOPA disposition in the monkey brain (713) 92
Turner, C., see Matz, P. (713) 211

Valentino, T.L., Lukasiewicz, P.D. and Romano, C.
Immunocytochemical localization of polyamines in the tiger salamander retina (713) 278
Valtysson, J., see Tsukada, H. (713) 92
Van Ree, J.M., see Gerrits, M.A.F.M. (713) 114
Van Wimersma Greidanus, Tj.B. and Maigret, C.
The role of limbic vasopressin and oxytocin in social recognition (713) 153

Watanabe, Y., see Tsukada, H. (713) 92
Weinstein, P.R., see Matz, P. (713) 211
Weller, J.L., Jaffe, H., Roseboom, P.H., Zylka, M.J. and Klein, D.C.
2D-PAGE Analysis: adrenergically regulated pineal protein AIP 37/6 is a phosphorylated isoform of cytosolic malate dehydrogenase (713) 8
Westerberg, G., see Tsukada, H. (713) 92
Wild, B., Klockgether, T. and Dichgans, J.
Acceleration deficit in patients with cerebellar lesions. A study of kinematic and EMG-parameters in fast wrist movements (713) 186

Xiao, X., see McCown, T.J. (713) 99
Xu, Z. and Herbert, J.
Effects of unilateral or bilateral lesions within the anteroventral third ventricular region on c-*fos* expression induced by dehydration or angiotensin II in the supraoptic and paraventricular nuclei of the hypothalamus (713) 36

Yagi, K., see Onaka, T. (713) 261
Yamada, K., see Akasu, T. (713) 160
Yasumasu, T., see Katsuragi, Y. (713) 240
Yip, S., Ip, J.K.H. and Sastry, B.R.
Electrophysiological actions of hemoglobin on rat hippocampal CA1 pyramidal neurons (713) 134

Zylka, M.J., see Weller, J.L. (713) 8